

DIGIPASS® FX7



Stop account takeovers, protect your employees and applications, and eliminate passwords with DIGIPASS® FX7, a FIDO-enabled, phishing-resistant authenticator. DIGIPASS FX7 enhances security while simplifying the login process, enabling a ‘work from anywhere, anytime’ policy. Ensure secure access to sensitive data and apps effortlessly and boost productivity without the hassle of managing passwords.

DIGIPASS FX7 is the ideal multi-factor authentication solution to protect against social engineering attacks. Eliminating the use of passwords greatly reduces the risk of adversary-in-the-middle, adversary-in-the-browser, and replay attacks.

This robust security measure prevents account takeovers and unauthorized access, safeguarding company applications and sensitive information.

DIGIPASS FX7 combines high-assurance security with the best user experience, helping organizations maintain high productivity levels by ensuring that employees can log in quickly and securely without the friction of traditional password-based systems.

Further, the reduction in IT resources needed for password management frees up valuable time and resources, allowing IT departments to focus on more strategic initiatives.

Go Passwordless and Mitigate Security Risks

Passwordless authentication represents the future of secure access, driven by the need to enhance security and streamline user experiences. Traditional passwords are vulnerable to a range of attacks, including phishing, brute force, and social engineering, making them a weak link in the security chain. By moving to a passwordless system, organizations can eliminate these vulnerabilities and provide a more secure environment for their employees.

Businesses should strive for phishing-resistant solutions to protect their assets and maintain operational continuity. DIGIPASS FX7 not only provides this level of protection but also integrates seamlessly with existing systems, ensuring a smooth transition to a more secure authentication method. Its flexibility and future-proofing make it an essential tool for businesses looking to enhance their security posture.



Highlights

Secure and convenient

- FIDO2-certified device enables passwordless authentication directly in the browser
- Phishing-resistant authenticator protects against password-based attacks
- Easy, one-touch authentication
- Compatible with a wide range of devices and platforms, including Windows 10 and MS Entra ID.

Create an Unrivaled User Experience

DIGIPASS FX7 offers an unrivaled user experience, combining a high level of security with ease of use. Users authenticate their presence with a simple tap of the device’s luminous button. This streamlines the login process and removes the friction associated with traditional authentication methods. Now employees can focus on their work without being bogged down by cumbersome security procedures.

How it Works

DIGIPASS FX7 connects to any desktop, laptop, or mobile device via USB-C. To authenticate, users simply touch the button and enter a PIN, verifying their presence in a matter of seconds. This straightforward approach enhances security and improves user satisfaction by making the authentication process quick and hassle-free.

Ease of Setup and Integration

Setting up DIGIPASS FX7 is a breeze. It requires no additional configuration or software installation, allowing for rapid deployment across the organization. Once set up, it can be used with any FIDO2-enabled service, providing a versatile and seamless authentication experience. This compatibility enables organizations to enhance their security without disrupting existing workflows or requiring extensive IT support.

Cost-efficient Solution

By eliminating password management, organizations can reduce operational and helpdesk costs. Additionally, the increased productivity and security provided by DIGIPASS FX7 make it a smart investment for any organization looking to improve security and operational efficiency.

CERTIFICATION AND COMPLIANCE			
Short-term storage temperature		Vibration	
-10° C to 50° C 90% RH non-condensing	IEC60068-2-78 (damp heat) IEC60068-2-1 (cold)	10 to 75 Hz 10 m/s²	IEC60068-2-6 EN55035
Operating temperature		Drop	
0° C to 45° C 85% RH non-condensing	IEC60068-2-78 (damp heat) IEC60068-2-1 (cold)	1 meter	IEC60068-2-31
Immunity		Emission	
4 kV contact discharges 8 kV air discharges 3 V/m from 80 to 1000 MHz	EN55035	EN55032	
Compliant with European directives		Compliant with Federal Communications Commission	
CE: 89/336/EEC or 2004/108/EC RoHS: 2002/95/EC WEEE: 2012/19/EU		FCC ID: 2AH88-FX1B IC: 27700-FX1B	

TECHNICAL SPECIFICATIONS	
Size	36.1 mm x 17.2 mm x 7.0 mm (L x W x H)
Weight	3g
FIDO	FIDO U2F, FIDO2.1, CTAP2.1
Connector	USB-C
Power Supply in Connected Mode	Via USB-C 4.40 to 5.50 volts
Dust & Water Resistance	Dust-safe Splash-proof

About OneSpan

At OneSpan, we specialize in digital identity and anti-fraud solutions that create exceptional and secure experiences. Organizations requiring high assurance security, including the integrity of end-users and the fidelity of transaction records behind every agreement, choose OneSpan to simplify and secure business processes with their partners and customers. Trusted by global blue-chip enterprises, including more than 60% of the world’s largest 100 banks, OneSpan processes millions of digital agreements and billions of transactions in 100+ countries annually.

Learn more at [OneSpan.com](https://www.onespan.com)

Contact us at [OneSpan.com/contact-us](https://www.onespan.com/contact-us)



Copyright© 2024 OneSpan North America Inc., all rights reserved. OneSpan®, the “O” logo, Digipass®, Cronto® are registered or unregistered trademarks of OneSpan North America Inc. or its affiliates in the U.S. and other countries. Any other trademarks cited herein are the property of their respective owners. OneSpan reserves the right to make changes to specifications at any time and without notice. The information furnished by OneSpan in this document is believed to be accurate and reliable. However, OneSpan may not be held liable for its use, nor for infringement of patents or other rights of third parties resulting from its use.